

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

TTY 711

*Flex your power!
Be energy efficient!*

December 13, 2011

07-LA-14-R52.6/R59.2

07-254904

Project ID 0700000464

NH-P014(068)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN LOS ANGELES COUNTY IN AND NEAR PALMDALE FROM 0.4 MILE NORTH OF SIERRA HIGHWAY OVERCROSSING TO ANAVERDE CREEK.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be open on Thursday, January 26, 2012.

This addendum is being issued to revise the Project Plans and the Notice to Bidders and Special Provisions.

Project Plan Sheets 2, 8, 9, 24, and 25 are revised as follows:

References to "HMA (TYPE B)" are replaced with "HMA (TYPE A)".

In the Special Provisions, Section 10-1.24, "HOT MIX ASPHALT," subsections "GENERAL", "Asphalt Binder," and "Aggregate" references to "HMA Type B" are replaced with "HMA Type A."

In the Special Provisions, Section 10-1.26, "MINOR HOT MIX ASPHALT," subsection "MATERIALS," the second list item is revised as follows:

Delete "or Type B".

In the Special Provisions, Section 10-1.27, "HOT MIX ASPHALT AGGREGATE LIME TREATMENT - SLURRY METHOD," subsection "Summary," replace the second paragraph with the following:

"Treat aggregate for RHMA-G and HMA Type A with lime slurry."

In the Special Provisions, Section 10-1.28 "HOT MIX ASPHALT AGGREGATE LIME TREATMENT - DRY LIME METHOD," subsection "Summary," the second paragraph is revised as follows:

"Treat aggregate for RHMA-G and HMA Type A with dry lime."

Addendum No. 1
Page 2
December 13, 2011

07-LA-14-R52.6/R59.2
07-254904
Project ID 0700000464
NH-P014(068)E

In the Special Provisions, Section 10-1.30, "REPLACE ASPHALT CONCRETE SURFACING (REPAIR FAILED AREA)" subsection "MATERIALS," replace the first paragraph with the following:

"HMA Type A and tack coat must comply with the specifications in Section 39-1.02, "Materials" of the Standard Specifications."

To Bid book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum is available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-254904

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



MICHAEL MILES
District Director